

Siltronic - Monthly progress report and data submittal memorandum

James Peale

to:

BAYUK Dana

05/13/2010 02:45 PM

Cc:

Tom.McCue, "Gladstone, Alan", "Chris Reive", "Eastwood, Hanne", "ANDERSON Jim M", Kristine Koch, Sean Sheldrake, Rene Fuentes, Eric Blischke, Chip Humphrey, PetersonLE, "Bob Wyatt", pdost, "John Edwards", "Carl Stivers", robe, "GAINER Tom", "LARSEN Henning", "MCCLINCY Matt"
Show Details

Good afternoon Dana – attached please find the monthly progress report and MS Excel file with data received through April 30, 2010. Attached please also find a data submittal memorandum describing the results of performance monitoring. In short, the data confirm the success of the enhanced *in situ* bioremediation, with TCE concentrations below the federal MCL for TCE (5 ug/L) in more than half of the source area PMWs. TCE was not detected above the reporting limit in 12 of the 23 source area PMWs.

The data also confirm that elevated TCE degradation products from the source area are not migrating under Fab 1 to the riverbank. Please don't hesitate to call or email if you have any questions regarding these documents.

Thanks

jp

JAMES G.D. PEALE RG, LHG | MAUL FOSTER ALONGI

d. 503 501 5218 | p. 971 544 2139 | c. 503 449 9576 | f. 971 544 2140 | www.maulfooster.com

NEW ADDRESS 2001 NW 19th Avenue, Suite 200, Portland, OR 97209

Please consider the environment before printing out this email.

NOTICE: This email, and any attachments, is intended only for use by the named addressee(s) and may contain information that is privileged, confidential or otherwise protected from disclosure. If you are not the intended recipient or the person responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this email, and any attachments, is strictly prohibited. If you have received this email in error, please immediately notify the sender by reply email and permanently delete and/or destroy the original and all copies. Written MFA authorization is required for modification of final electronic work products. Distribution to others of any MFA electronic work products, whether or not they are modified, is prohibited without the express written consent of MFA.